

WR-28 Bandpass Waveguide Filter With Flange And a Pass Band From 30 GHz to 31 GHz

TECHNICAL DATA SHEET

Configuration	
Passband	
Number of Sections	
Flange 1	
Flange 2	
Passband Frequency Range	

Electrical Specifications (Values at 25°C, sea level)

Description	Minimum	Typical	Maximum	Units
Passband Frequency Range	30	-	31	GHz
Passband Center Frequency		30.5		GHz
Insertion Loss			1.5	dB
Center Frequency Passband Insertion Loss		1.5		dB
Passband VSWR			1.4:1	
Rejection at 29 GHz	40			dB
Rejection at 32 GHz	40			dB

Band Pass

6 WR-28 WR-28 30 to 31 GHz

Mechanical Specifications

Size Length Width Height Weight		3.09 in [78.49 mm] 0.75 in [19.05 mm] 0.75 in [19.05 mm] 0.06 lbs [27.22 g]			
Flange 1 Type		WR-28			
Flange 2 Type		WR-28			
Compliance Certifications (visit www.Pasternack.com for current document)					
RoHS Compliant REACH Compliant		12/17/2014			
Plotted and Notes: • Values a	Other Data It 25 °C, sea level				

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: WR-28 Bandpass Waveguide Filter With Flange And a Pass Band From 30 GHz to 31 GHz PE-W28F001

PE-W28F001 REV 1.1

Pasternack Enterprises, Inc. • P.O. Box 16759, Irvine, CA 92623 Phone: (866) 727-8376 or (949) 261-1920 • Fax: (949) 261-7451

Sales@Pasternack.com • Techsupport@Pasternack.com





PE-W28F001




WR-28 Bandpass Waveguide Filter With Flange And a Pass Band From 30 GHz to 31 GHz

TECHNICAL DATA SHEET

PE-W28F001

Outline Drawing



WR-28 Bandpass Waveguide Filter With Flange And a Pass Band From 30 GHz to 31 GHz from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: WR-28 Bandpass Waveguide Filter With Flange And a Pass Band From 30 GHz to 31 GHz PE-W28F001

URL: http://www.pasternack.com/bandpass-waveguide-filter-wr-28-pass-band-30-31-ghz-pe-w28f001-p.aspx

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Pasternack does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Pasternack does not assume any liability arising out of the use of any part or documentation.

Pasternack Enterprises, Inc. • P.O. Box 16759, Irvine, CA 92623 Phone: (866) 727-8376 or (949) 261-1920 • Fax: (949) 261-7451

Sales@Pasternack.com • Techsupport@Pasternack.com